

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	257	399/12.ccls.	USPAT; US-PGP UB
2	BRS	L2	636	399/24,25,27.ccls.	USPAT; US-PGP UB
3	BRS	L3	557	2 not 1	USPAT; US-PGP UB
4	BRS	L4	582	399/110,112,119.ccls.	USPAT; US-PGP UB
5	BRS	L5	546	4 not (1 or 2)	USPAT; US-PGP UB
6	BRS	L6	632	399/111.ccls.	USPAT; US-PGP UB
7	BRS	L7	496	6 not (1 or 2 or 4)	USPAT; US-PGP UB
8	BRS	L8	1411	347/19.ccls.	USPAT; US-PGP UB
9	BRS	L9	1382	8 not (1 or 2 or 4 or 6)	USPAT; US-PGP UB
10	BRS	L10	310	347/49.ccls.	USPAT; US-PGP UB
11	BRS	L11	280	10 not (1 or 2 or 4 or 6 or 8)	USPAT; US-PGP UB
12	BRS	L12	1391	347/86.ccls.	USPAT; US-PGP UB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	1293	12 not (1 or 2 or 4 or 6 or 8 or 10)	USPAT; US-PGP UB
14	BRS	L14	18249	(detect\$3 or sens\$3 or determin\$5 or decision or decid\$3) near6 ((type\$1 or kind\$1 or color\$1 or model\$1 or used or new) near2 (cartridge\$1 or unit\$1 or consum\$5 or replac\$5))	USPAT; US-PGP UB
15	BRS	L15	645	14 and 399/\$3.ccls.	USPAT; US-PGP UB
16	BRS	L16	380	15 not (1 or 2 or 4 or 6 or 8 or 10 or 12)	USPAT; US-PGP UB
17	BRS	L17	644	14 and 347/\$6.ccls.	USPAT; US-PGP UB
18	BRS	L18	332	17 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 15)	USPAT; US-PGP UB
19	BRS	L19	29570	(disconnect\$3 or fus\$3) near5 (resistor\$1 or resistive or terminal\$1)	USPAT; US-PGP UB
20	BRS	L20	226	14 and 19	USPAT; US-PGP UB
21	BRS	L21	202	20 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 15 or 17)	USPAT; US-PGP UB
22	BRS	L22	69966	g03g015/00.ipc.	EPO; JPO
23	BRS	L23	33572	g03g021/18.ipc. or g03g021/00.ipc.	EPO; JPO

	Type	L #	Hits	Search Text	DBs
24	BRS	L24	2591	(detect\$3 or sens\$3 or determin\$5 or decision or decid\$3) with ((type\$1 or kind\$1 or color\$1 or model\$1 or used or new) near2 (cartridge\$1 or unit\$1 or consum\$5 or replac\$5))	EPO; JPO
25	BRS	L25	110	22 and 24	EPO; JPO
26	BRS	L26	139	24 and 23	EPO; JPO
27	BRS	L27	100	26 not 25	EPO; JPO